

UNIPATH LIMITED
MATERIAL SAFETY DATA SHEET
Pregnancy Test Device (Urine)

1. Identification of the substance/preparation and of the company/undertaking**Product:** SureStep hCG**Catalog Number:** FHC-102**DISTRIBUTOR:**

Unipath Ltd.
Priory Business Park
Stannard Way
Bedford, UK
Phone: +44 (0)1234 835000
Fax: +44 (0) 1234 835009

MANUFACTURER:

Innovacon Inc.
4106 Sorrento Valley Boulevard
San Diego, CA 92121
U.S.A
Phone: 858 535 2030
Fax 858 535 2039

Attn.: Customer Sales & Support

Further information obtainable from: www.suresteptest.com**Information in case of emergency:**

Tel: (858)-535-2030

2. Composition/information on ingredients

The test device, containing dry reagents (mouse monoclonal anti-hCG antibodies, polyclonal goat anti mouse antibodies and polyclonal goat anti-HCG antibodies, buffers), is stored in a sealed pouch containing desiccant.

3. Hazards identification

Physiochemical Hazard: None

Health Hazard: Each Device contains sodium azide at a concentration of $\leq 0.02\%$ (7.5ng/test) and is below the acceptable limit of LD₅₀ 27mg/kg

Environmental Hazard: None

4. First-aid measures

The pouched device is a plastic device containing dry reagents of which are applied to the strip. Therefore if the user comes in contact with the sample (urine) being tested, they should follow normal personal hygiene measures.

5. Fire-fighting measures

Not Applicable

6. Accidental release measures

Not Applicable.

7. Handling and storage

Store at 2-30°C.

8. Exposure controls/personal protection

Use good laboratory practice, including laboratory gloves and safety glasses.

9. Physical and chemical properties

The strip, consisting of an inert membrane and pad material impregnated with chemical reagents in dry form, is housed in plastic casing and placed in a foil pouch containing desiccant. The device is odorless.

10. Stability and reactivity

Stable under conditions of use until the expiration date indicated on the corresponding label.

11. Toxicological information

Not Applicable

12. Ecological information

Not Applicable.

13. Disposal considerations

The used strip should be decontaminated and disposed of using an autoclave or by incineration as are other waste-containing biological material. Waste material must be disposed of in accordance with federal, state and local regulations.

14. Transport information

Not Applicable.

15. Regulatory information

Not classified as hazardous according to EEC criteria.

16. Other information

The information contained in this document is believed to be correct, but does not purport to be all-inclusive and shall only be used as a guide. Innovacon shall not be held liable for any damage resulting from handling or contact with the above product.

Signed:  (QA) Date: 13 FEB. 2007